SUBJECT INDEX

Acoustic emission, pp. 250, 819, 1185
Actuator, p. 446
Adhesives, p. 1588
Analytical approach, p. 1110
Analytical modeling, p. 361
Anisotropy, pp. 606, 922, 1024
Arc-length method, p. 1665
Autoclave bagging, p. 250
Automated mesh generation, p. 955
Automotive engineering, p. 1625
Axial velocity, p. 382
Bending, pp. 109, 1213
Bent tube, p. 882
Bias angle, p. 626
Blow up ratio, p. 945
Bubble stability, p. 945
Buckling, pp. 462, 1292
Carbon epoxy, p. 1463
Carbon fiber reinforced epoxy, p. 774
Catalytic activity, p. 911
Charpy test, p. 123
Co-injection, p. 1404
Composite materials, pp. 361, 774, 989, 1450
Composite wing structure, p. 319
Composites, pp. 39, 96, 109, 123, 131, 147, 184, 234, 250, 406, 462, 498, 526, 545, 580, 606, 626, 651, 674, 691, 741, 819, 850, 911, 922, 1056, 1119, 1167, 1185, 1202, 1264, 1391, 1507, 1525, 1651, 1665
  broken ply, p. 498
  carbon fiber, p. 1056
  CFRP, p. 1185
  fabric/epoxy, p. 1056
  fiber reinforced, p. 406
  glass/epoxy, p. 741
  graphite/epoxy, p. 850
  hybrid, p. 147
  IM7/5260, p. 184
  injection molded, p. 911
  in-situ, p. 131
  particulate, p. 691
  phenolic, p. 1167
  polymer, pp. 250, 850, 1391
  polymeric, p. 96
  resin infused, p. 819
  sandwich, p. 819
  textile, p. 545
  thermoplastic, pp. 39, 250
  three-dimensional orthogonal woven, p. 545
  woven, p. 545
Compounding, pp. 1036, 1047
Compression, pp. 819, 1292
Computer aided engineering (CAE), p. 1087
Computer modeling, p. 361
Conduction, p. 580
Conical die, p. 1135
Continuous element method, p. 319
Core crushing, p. 964
Crack, pp. 109, 123
Creep, pp. 39, 51, 234, 361, 850
Critical strain energy release rate, p. 498
CRTM, p. 1525
Crystallization kinetics, p. 1382
Damage, pp. 109, 123, 250, 268, 787, 819, 850, 1320
  macroscopic, p. 268
  matrix, p. 850
  microscopic, p. 268
  progressive, p. 787
  radiation-induced, p. 850
Damage mechanics, p. 691
Damage mechanisms, pp. 205, 1185
Darcy's law, pp. 2, 165, 286
Debonding, pp. 123, 850
Deborah Number, p. 1135
Defects/detection, pp. 389, 1463
Deflection, p. 526
Deformation, pp. 51, 486, 712, 1431
Degrees of cure, p. 1557
Delamination, pp. 109, 389, 498
Diagonal tension, p. 1636
Die design, p. 1110
dielectric properties, p. 1496

(continued)

Subject Index (continued)
dimensionless mean residence time, p. 1338
Dimensionless variance, p. 1338
Dispersive mixing, p. 1076
Drawdown ratio, p. 945
Dynamic mechanical analysis, p. 234
Dynamic response, p. 526
Dynamic simulation, p. 1625
Eccentricity, pp. 446, 526
Eddy current testing, p. 389
Edge replication, p. 1320
Elastic constants, p. 626
Elastic mechanics, p. 545
Elastic modulus, p. 39
Elastic properties, pp. 606, 1391
Electrical resistance, p. 674
Electro-elastic, p. 446
Electro-mechanical, p. 446
EMI shielding, p. 674
Epoxy resin, pp. 123, 1507
Extensional viscosity, p. 1135
Extrusion, pp. 712, 945, 1036, 1110
Fabric reinforced, p. 1320
Failure, pp. 109, 250, 406, 462, 741, 1024, 1232, 1463
Failure modes, pp. 725, 1450
Fatigue, pp. 268, 774, 1185, 1202, 1320
Fiber bed, p. 286
Fiber length, pp. 651, 901
Fiber-matrix interface, p. 850
Fiber orientation, pp. 651, 922
Fibers, pp. 123, 606, 626, 651, 787, 922, 1507
  glass, pp. 123, 626
  hybrid, p. 787
  pineapple, p. 651
  short, pp. 651, 922
  short bamboo, p. 1507
Fiberglass/epoxy, p. 1557
Fiberglass/epoxy tubes, p. 268
Filament winding, pp. 268, 462
Filler, p. 674
Filler compounding, p. 1146
Film, pp. 945, 1012
Finite element, pp. 51, 446, 526, 1391, 1525
Finite element analysis, pp. 462, 545, 580, 989, 1056, 1625
Finite element method, pp. 70, 319, 498, 691, 882, 1047, 1472
  body-fitted, pp. 2, 165
  three-dimensional, p. 1232
Flexure test, p. 787
Flow, pp. 2, 70, 286, 382, 712, 935, 955, 1076, 1135, 1374, 1607
Fluid models, p. 882
Foam, pp. 741, 1281
Fractography, p. 1320
Fracture, pp. 123, 606, 752, 1463
Fracture mechanics, p. 691
Fracture surface morphology, p. 752
Frost-line height, p. 945
GFRP, p. 1512
Glass-epoxy, p. 1281
Glass fiber reinforced epoxy, p. 774
Glass fiber reinforced nylon 6/6, p. 1617
Glass transition temperature, p. 626
Graphite/epoxy, pp. 109, 512, 1119
Graphite/thermoplastic, p. 109
HDPE, p. 1135
Heat transfer, p. 1307
Helmholtz and Gibbs energies, p. 850
Honeycomb-filled-foam core, p. 819
Impact, pp. 109, 147, 526, 741, 819, 1232, 1281, 1463, 1580
Impact threshold energy, p. 1056
Inertia moment, p. 1213
Infrared spectroscopy, p. 922
Infrared thermography, p. 250
Injection molding, pp. 165, 872, 893, 922, 935, 955, 1087, 1213, 1350, 1363, 1374, 1382, 1404
  gas assisted (GAIM), pp. 893, 935, 1087, 1213
  multi-component, p. 872
  sandwich, p. 1404
In-plane stress distribution, p. 800
Intelligent composite stiffened structures, p. 446
Interaction macromolecule-fiber, p. 922
Interface, pp. 741, 1281
Interfacial adhesion, p. 651
Iosipescu shear test, p. 26
Isoparametric elements, p. 580
Joints, pp. 205, 725, 800
Kneading disc region, p. 1076
Lagrangian formulation, pp. 526, 882
Laminate model, p. 545
Laminate resistance, p. 674

Laminates, pp. 109, 205, 512, 526, 674, 800, 1232, 1472
  composite, pp. 205, 512, 800
  conductive, p. 674
  stiffened, p. 1472
  unidirectional, p. 1232
  woven fabric, p. 1232
Lamination, p. 1404
Laser doppler anemometer, p. 382
Layer waviness, p. 989
LDPE, p. 1135
Loading, pp. 184, 651
Macroscopy, pp. 741, 1281, 1463
Matrix, pp. 184, 286, 361, 526, 787
  mass, p. 526
  nonlinear, p. 787
  polymer, p. 361
  polymeric, p. 184
  thermoplastic, p. 286
  thermoset, p. 286
Mean residence time, p. 1338
Metallocene, p. 945
Microband transparent materials, p. 1496
Microchip, p. 70
Micromechanics, pp. 184, 361, 691, 1391
Mixing, pp. 712, 1036, 1047, 1076, 1607
Mode I fracture toughness, p. 512
Modified Hertz contact law, p. 1232
Moire interferometry, pp. 96, 989
Mold filling, pp. 964, 1087
Molding, pp. 2, 70, 165, 872, 882, 893, 922, 935, 955, 964, 1087, 1167, 1213, 1307, 1350, 1363, 1374, 1382, 1391, 1404, 1414
  blow, p. 882
  injection, pp. 165, 872, 893, 922, 935, 955, 1087, 1213, 1350, 1363, 1374, 1382, 1404
  liquid composite, pp. 1391, 1414
  resin transfer (RTM), pp. 2, 165, 964, 1167, 1414
  rotational, p. 1307
  transfer, p. 70
Multiple percolation, pp. 674
Newmark's method, p. 526
Nip region, p. 382
Non-charring ablator, p. 1496
Nondestructive testing, pp. 389, 1185
Nonlinear response, p. 1292
Non-Newtonian fluid, p. 935
Numerical simulation, pp. 70, 882
Optical sensor, p. 1382
Optimal winding pattern, p. 462
Orthogonal woven, p. 545
Panels, pp. 1292, 1431, 1636, 1665
  curved, p. 1292
  cylindrical, pp. 1431, 1665
  stiffened stitched composite, p. 1636
Parison pinch-off, p. 882
Part stiffness, p. 1213
Partial frame process (PFP), p. 893
Piezoelectric, p. 446
Piezoelectric materials, p. 1472
Plastics, pp. 51, 389, 725
  carbon fiber reinforced (CFRP), p. 389
  fiber reinforced, p. 725
  reinforced, p. 51
Plate, pp. 446, 486, 1024, 1264
  antisymmetric angle-ply clamped, p. 486
  circular, p. 1024
  stiffened, p. 1264
Poisson's ratio, p. 1651
Polycarbonate, p. 911
Polyethylene, pp. 651, 882, 945
Poly(ethylene terephthalate), pp. 250, 911
Polymer, pp. 70, 131, 1036
Polymer extrusion, p. 1096
Polypropylene, pp. 922, 1382
Polystyrene, p. 626
Polytetrafluoroethylene, p. 752
Porosity, pp. 165, 1391
Postbuckling, pp. 1292, 1665
Post-failure, p. 1665
Post-impact response, p. 819
Powders, p. 1307
Powell model, p. 1155
Power formula, p. 800
Power law, p. 1155
Preform, p. 774
Prepregs, p. 1119
Pressure, pp. 268, 512, 787, 1110, 1135
Prestress, p. 123
Process dynamics, p. 1087
Process modeling, p. 286
Process parameters, p. 872
Progressive failure analysis, p. 1665

(continued)

Subject Index (continued)
PTFE, p. 1496
Pultrusion, pp. 234, 1557
Quasi-isotropic material, p. 389
R-ratio effect, p. 268
Radiography, p. 1320
Ratcheting, p. 268
Reinforcement, pp. 250, 651, 774, 1213, 1507, 1580
Reinforcement compaction, p. 1414
Reissner Variational Principle, p. 800
Relaxation modulus, pp. 651, 850
Relaxation time, p. 911
Residence time, pp. 712, 1607
Residence time distribution (RTD), pp. 1047, 1338
Reverse conveying, p. 382
Runner, pp. 1363, 1350
Sandwich, pp. 725, 964
Scanning acoustic microscopy, p. 389
Screw configuration, p. 1338
Screw convolution, p. 1338
Screw design, p. 1096
Self-consistent method, p. 1391
Sensor, pp. 446, 1557
Shape control, p. 446
Shear, pp. 109, 462
Shear deformation, pp. 486, 1431
Shear modulus, pp. 626, 787
Sheet molding compound, p. 51
Shell, pp. 51, 462, 526, 580, 1431, 1665
  axisymmetric, p. 580
  composite conical, p. 462
  cylindrical, p. 1431
  laminated, p. 1431
Silicon carbide, p. 1202
SMA, p. 147
S-N curve, p. 1450
Space irradiation, p. 850
SRIM, p. 1414
Stacking sequence, p. 1320
Stiffener, pp. 446, 526, 1264
Stiffness, p. 606
Strain, pp. 51, 446, 989
Strain rate, p. 39
Strength, pp. 123, 462, 725, 872, 911, 1496, 1512
  bond, p. 872
  compressive, p. 462
  impact, pp. 123, 911
  tensile, p. 1496
Strength-to-weight ratio, p. 462
Stress, pp. 51, 268, 446, 526, 580, 787, 989, 1024, 1292, 1588
  compressive, p. 989
  effective stress, p. 268
  interlaminar thermal, p. 1024
  residual, p. 787
  thermal stress, pp. 580, 1292, 1588
Stress analysis, p. 96
Stress intensity factor, p. 901
Stress-relaxation, pp. 234, 651
Structural dynamics, p. 319
Structural integrity, p. 389
Swirl mat, p. 250
Taguchi method, p. 1119
Tailored fiber placement, p. 774
Temperature, pp. 184, 580, 1557
Tensile property, pp. 1507, 1580
Textile fabric, p. 250
Thermoelastic, p. 51
Thermomechanical behavior, p. 131
Thermoplastics, pp. 901, 1625
Thermoset, p. 70
Thermostructural, p. 51
Thickness effects, p. 1580
Three-dimensional flow observation, p. 955
Time-temperature superposition, p. 234
Titanium, p. 1202
Torsional rigidity, p. 1264
Toughness, p. 901
TPU, p. 872
Transverse impregnation, p. 165
Transverse modulus, p. 787
Transverse properties, p. 1617
Transverse shearing, p. 109
Triangle and hexagon cylinder, p. 462
Twin-screw extruder, pp. 382, 1036, 1047, 1076, 1146
Twin-screw extrusion, p. 1607
Ultrasonic c-scan, p. 389
Ultrasonic evaluation, p. 819
Unit cell model, pp. 545, 691
Vibration analysis, p. 1431
Vibration control, p. 1472
Vibration testing, p. 819
Viscoelasticity, pp. 234, 361, 850, 945
Viscous fingering, p. 1404
Void, pp. 165, 626, 893, 1391

Volume shrinkage, p. 893
Wedge die, p. 1135
Weft knitted fabric, p. 250
Woven fabric, p. 250
Yeh-Stratton criterion, pp. 486, 1636
Zinc oxides, p. 911

AUTHOR INDEX

Adams, D. O., p. 989
Aglan, H., p. 752
Ahn, K. H., p. 893
Allah Baksh, S., p. 1507
Al-Sulaiman, F. S., p. 1320
Arafat, E. S., p. 1557
Attaran, M. T., p. 1307
Avérous, L., p. 1167
Barbero, E. J., p. 361
Baron, D. T., p. 691
Barpanda, D., p. 234
Batch, G., p. 1338
Bhagawan, S. S., p. 651
Bigio, D. I., pp. 712, 1338
Bowron, S., p. 205
Bradley, D. J., p. 989
Breivik, N. L., p. 1292
Bress, T. J., p. 1374
Briber, R. M., p. 712
Bruce, J. L., p. 1557
Bryan, C., p. 752
Bur, A. J., p. 1382
Burr, S., p. 1625
Calcaterra, J. R., p. 1202
Camanho, P. P., p. 205
Cameron, J., p. 123
Chakraborty, D., p. 498
Chandrasekaran, M., p. 382
Chang, C.-Y., pp. 2, 165
Chang, R.-Y., p. 1087
Chao, C.-P., p. 850
Chaturvedi, S. K., p. 850
Chen, S.-C., p. 1213
Cheng, H., p. 1076
Cheng, J., p. 712
Chua, S. C., p. 626
Chung, C. H., p. 935
Chung, C. I., p. 1096
Crawford, R. J., p. 1307
Culen, M. S., p. 268
Czigány, T., p. 250
de Meester, P., p. 1185
Debbaut, B., p. 882
Demakos, C. B., p. 606
Der Chien, R., p. 1213
Dharia, M., p. 51
Dian Fu, W., p. 1496
Dowling, D. R., p. 1374
DuFour, P. B., p. 1636
Ehrenstein, G. W., p. 872
Eigl, F. A., p. 1404
Ellis, C. S., p. 901
Ellis, R. L., p. 147
Ellyin, F., p. 268
Farasoglou, P., p. 131
Farooqi, J. K., p. 1320
Faruqi, M. A., p. 1512
Faughnan, P., p. 752
Feltin, D., p. 774
Flecke, J., p. 1047
Ganesan, R., p. 800
Gasbarri, P., p. 319
Gascoigne, H. E., p. 989
Gauvin, R., pp. 964, 1167, 1414, 1525
George, J., p. 651
Gerard, P., p. 922
Glen, L. W., p. 901
Gliesche, K., p. 774
Goswami, S., pp. 446, 526, 1472
Gramoll, K., p. 462
Gros, X. E., p. 389
Gupta, M., p. 70
Hamamoto, A., p. 911
Han, R., p. 70
Harris, J. S., p. 361
Haudrum, J., p. 1135
He, J.-F., p. 1431
Hertema, D., p. 1625
Hoa, S. V., pp. 512, 800, 1119
Hollin, J., p. 1617
Hou, A., p. 462
Hourng, L.-W., pp. 2, 165
Hsu, C.-H., p. 1087
Huang, C. J., p. 945

(continued)

Author Index (continued)
Hubert, P., p. 286
Huneault, M. A., p. 1036
Hyer, M. W., p. 1292
Ishibashi, J., p. 1146
Jackson, C. L., p. 725
Jarrah, M. A., p. 512
Jeelani, S., p. 819
Jia, H., p. 147
Jie-Cai, H., p. 1496
Johnson, V. R., p. 1557
Kamath, M. V., p. 819
Kang, Y., p. 1213
Kant, T., pp. 446, 1472
Karger-Kocsis, J., p. 250
Karwe, M. V., p. 382
Kendall, K., p. 964
Khan, B., p. 1463
Khan, Z., p. 1320
Kilfoy, L. T., p. 406
Kim, D.-H., p. 893
Kim, H. C., p. 901
Kishore, pp. 741, 1281, 1463
Kjaer, E. M., p. 1135
Kobayashi, A., p. 1146
Kontou, E., p. 131
Kuhmann, K., p. 872
Kujawski, D., p. 268
Kweon, J. H., p. 1665
Kwon, Y.W., p. 691
Lalande, F., p. 147
Lang, U., p. 1110
Langecker, G. R., p. 1404
Lauridsen, C. L., p. 1135
Lee, C.-C., pp. 1350, 1363
Lee, L.J., p. 1391
Ling, F., p. 1155
Liou, W. J., p. 39
López Torres, M., p. 131
Ma, B.-A., p. 1431
Mahfuz, H., p. 819
Mall, S., p. 1202
Manas-Zloczower, I., p. 1076
Marchal, T., p. 882
Mattheij, P., p. 774
Matthews, F. L., p. 205
Michaeli, W., pp. 955, 1110
Miller, D., p. 1617
Miller, D. E., p. 901
Mollenhauer, D. H., p. 96
Motahhari, S., p. 123
Mukherjee, N., p. 51
Naik, N. K., p. 1232
Narasimha Chary, K., p. 1507
Neelakatan, N. R., p. 651
Nogami, N., p. 911
Ochoa, O.O., p. 787
Ogi, K., p. 389
Olivero, D. A., p. 674
Osman, M. O. M., p. 1119
Ostgathe, M., p. 250
Pabiot, J., p. 922
Pechulis, M., p. 1580
Pham, X.-T., p. 1525
Potente, H., p. 1047
Poursartip, A., p. 286
Pradhan, B., p. 498
Radford, D. W., p. 674
Raine, J., p. 922
Rajan, R., p. 51
Raju Mantena, P., p. 234
Ramachandra Reddy, G., p. 1507
Rao, D. M., p. 580
Ray, C., p. 1264
Read, P. J. C. L., p. 725
Reddy, A. M. K., p. 70
Robeson, M. E., p. 109
Rogers, C. A., p. 147
Rose, D. H., p. 96
Ross, G. R., p. 787
Roux, J. A., p. 1557
Santini, P., p. 319
Satsangi, S. K., p. 1264
Schaff, J. R., p. 96
Sekher, Y. C., p. 1232
Shanku, R., p. 1557
Shan-Yi, D., p. 1496
Shenoi, R. A., p. 725
Shih, H. H., p. 945
Shivpuri, R., p. 1391
Shonaike, G. O., p. 626
Sinha, P. K., p. 580
Soh, Y. S., p. 935
Song, K., p. 1012
Sreekala, M. S., p. 651
Steven, G. P., p. 545
Stevenson, J. F., p. 1350
Suhir, E., p. 1588
Sun, C. T., p. 184
Sweeny, J., p. 1625

Takahashi, K., p. 389
Tan, P., p. 545
Tanaka, T., p. 911
Thomas, C. L., p. 1382
Thomas, S., p. 651
Todd, D. B., p. 1607
Tomayko, D., p. 1338
Tong, L., p. 545
Tran, J. V., p. 486
Trochu, F., p. 1525
Tsai, M.-H., p. 1087
Tsamtsakis, D., p. 1185
Tutuncu, N., p. 1024
Vaidya, U. K., p. 819
Varada Rajulu, A., p. 1507
Vaughan, J. G., p. 1557
Vautour, D., pp. 1580, 1617
Venkatraman, S., pp. 741, 1281
Waki, Y., p. 911
Wang, Y., p. 1119
Wevers, M., p. 1185
White, J. L., p. 1012
Whitney, J. M., p. 26
Wirth, S., p. 964, 1414
Wong, C. M., p. 945
Wright, E. J., p. 1307
Wu, Y., p. 1391
Xiao-Qun, W., p. 1496
Xie, Y., pp. 712, 1338
Xu, L., p. 1450
Yeh, H.-L., p. 1651
Yeh, H.-Y., pp. 406, 486, 1213, 1636, 1651
Ying, Y., p. 1056
Yoshikawa, T., p. 1146
Zachert, J., p. 955
Zhang, C., p. 800
Zhang, R., p. 1651
Zhang, Z., p. 752
Zhu, C., p. 184